

ПІДТВЕРДЖУВАЛЬНЕ ПОВІДОМЛЕННЯ

**Державне підприємство
«Український науково-дослідний і навчальний центр
проблем стандартизації, сертифікації та якості»
(ДП «УкрНДНЦ»)**

Наказ від 02.11.2018 № 392

EN ISO 9431:1999

**Construction drawings —
Spaces for drawing and for text,
and title blocks on drawing sheets
(ISO 9431:1990)**

прийнято як національний стандарт
методом підтвердження за позначенням

**ДСТУ EN ISO 9431:2018
(EN ISO 9431:1999, IDT; ISO 9431:1990, IDT)**

**Кресленики будівельні.
Поле для креслеників, тексту
та штампів на креслярських аркушах**

З наданням чинності від 2019-01-01

English version

**Construction drawings — Spaces for drawing and for text,
and title blocks on drawing sheets**

(ISO 9431:1990)

Dessins de construction — Zones réservées au
dessin et au texte, et cartouches d'inscription
sur les feuilles de dessin
(ISO 9431:1990)

Zeichnungen für das Bauwesen — Anordnung
von Darstellungen, Texten und Schriftfeldern
auf Zeichnungsvordrucken
(ISO 9431:1990)

This European Standard was approved by CEN on 1 July 1999.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CEN

European Committee for Standardization
Comité Européen de Normalisation
Europäisches Komitee für Normung

Central Secretariat: rue de Stassart 36, B-1050 Brussels

Foreword

The text of the International Standard from Technical Committee ISO/TC 10 "Technical drawings, product definition and related documentation" of the International Organization for Standardization (ISO) has been taken over as an European Standard by CEN/CS.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2000, and conflicting national standards shall be withdrawn at the latest by January 2000.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of the International Standard ISO 9431:1990 has been approved by CEN as a European Standard without any modification.

INTERNATIONAL
STANDARD

ISO
9431

First edition
1990-12-15

**Construction drawings — Spaces for drawing
and for text, and title blocks on drawing sheets**

*Dessins de construction — Zones réservées au dessin et au texte, et
cartouches d'inscription sur les feuilles de dessin*



Reference number
ISO 9431:1990(E)

Contents

	Page
Foreword	iii
1 Scope	1
2 Normative references	1
3 General layout	1
4 Space for drawing	1
5 Space for text	1
Annex A (informative) Bibliography	5
Figure 1	2
Figure 2	2
Figure 3	2
Figure 4	2
Figure 5	2
Figure 6	3
Figure 7	3
Figure 8	3
Figure 9	4

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 9431 was prepared by Technical Committee ISO/TC 10, *Technical drawings, product definition and related documentation*.

Annex A of this International Standard is for information only.

1 Scope

This International Standard specifies requirements concerning the placing, layout and contents of spaces for drawing and for text, and title blocks on construction drawings.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this International Standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 3098-1:1974, *Technical drawings —*

Lettering — Part 1: Currently used characters.

ISO 7200:1984, *Technical drawings — Title blocks.*

3 General layout (see Figure 1 and Figure 2)

The space on a drawing sheet is primarily divided into

- a space for drawing (see clause 4);
- a space for text (see clause 5);
- a title block (see ISO 7200).

4 Space for drawing

The figures comprising a drawing shall be arranged in horizontal rows and vertical columns. A main figure, if one is identified as such, shall be placed at the top left of the drawing or at the top left of a group of figures. If possible, consideration shall be taken of A4-size folds of a drawing sheet when figures are drawn.

5 Space for text

5.1 General

The space for text on a drawing sheet shall contain all information necessary for the understanding of the contents of the drawing (see 5.2), except for the text which needs to be placed adjacent to the figures in the space for drawing.

The space for text shall normally be placed at the right-hand edge of the drawing sheet (see Figure 1); the width of the space shall be equal to that of the title block, i.e. maximum 170 mm, or at least 100 mm.

If a figure takes up the whole width of the drawing sheet, the space for text shall be placed at the bottom edge of the drawing sheet (see Figure 2); the height of the space shall be chosen as required. The space for text shall be divided into columns of appropriate width; if possible, account shall be taken of folds in a folded drawing when deciding on column width.

5.2 Information to be placed in space for text

5.2.1 General

The following information is normally placed in the space for text:

- explanations (see 5.2.2);
- instructions (see 5.2.3);
- references (see 5.2.4);
- location figure (see 5.2.5);
- revision table (see 5.2.6).

5.2.2 Explanations

Under "Explanations", information shall be given which is needed to read the drawing, e.g. explanations of special symbols, designations, abbreviations and units of dimensions.

5.2.3 Instructions

Under "Instructions", information, supplementary to the information in the space for drawing, shall be given which is needed to perform what is shown on the drawing, e.g. instructions relating to material, realization, surface treatment, assembly placing, number of units and combined dimensions.

If several objects are shown on the drawing, general instructions shall be placed in the space for text and special instructions shall be placed adjacent to the relevant figures.

5.2.4 References

Under "References", reference shall be made to supplementary drawings and other documents.

5.2.5 Location figure

A location figure shall be placed so that it remains visible after the drawing has been folded.

A location figure shall comprise, as required, the following figures:

- schematic site plan with area, arrow indicating the north, building, part of building, etc. marked (see Figure 3);
- schematic plan of building with area, part, etc. indicated (see Figure 4);
- schematic section through building with floor plan, direction of view, etc. indicated (see Figure 5).

5.2.6 Revision table

A revision table shall be used to record all revisions such as corrections and/or amendments following the first issue. In addition, any other factor which might influence the validity of the drawing shall be recorded in the revision table.

A revision table shall contain the following information:

- designations of revision and, if required, number of places where correction has been made;
- details concerning the revision;
- date of revision;
- signature of person responsible for revision.

The width of the revision table shall be equal to either

- a) the width of the title block, if the revision table is placed immediately above the title block,
- b) at least 100 mm, if the revision table is placed to the left of the title block.

The height of each line in the revision table shall be in accordance with the rules given in ISO 3098-1 and shall meet the minimum requirement for spacing of base lines.

An example of the layout of a revision table is illustrated in Figure 6.

5.3 Layout

Examples of the layout of the space for text on the drawing sheet are given in Figure 7, Figure 8 and Figure 9.




Figure 3




Figure 4




Figure 1




Figure 5








Figure 2





Annex A (informative)
Bibliography

- [1] ISO 128:1982, *Technical drawings — General principles of presentation.*
- [2] ISO 5457:1980, *Technical drawings — Sizes and layout of drawing sheets.*
- [3] ISO 8048:1984, *Technical drawings — Construction drawings — Representation of views, sections and cuts.*